

Page 54, line 21, change "Globeld" to --Globeid--.

Page 61, line 15, change "modification" to
--variation--.

Page 62, line 1, change "modification" to
--variation--;

line 2, change "limit of" to --expira-
tion--; cancel "of";

line 3, cancel "the validity";

line 22, change "modification" to
--variation--.

THE CLAIMS:

Cancel claim 1.

Cancel claim 4.

Cancel claims 10-27.

NE Cancel claim 30.

Add the following new claims:

Sub C1
" --31. Method for transmission of a secured elec-
tronic message, comprising:

- an operation of receiving by a data processing
system, from a user, by means of a communication network:

R1.126
B1
Cont
. the message to be transmitted,
. an identification of the user, and
. an identification of a destination for said
message (603, 604);

- an operation of opening a communication session
between a remote communication means corresponding to the

identification of the destination of said message, and the information processing system;

- an operation of generating, by said information processing system, of a first so-called "confidential" information for single use, which is to that it cannot be used except during said communication session;

and, during said communication session:

. performing an operation of transmitting, by the information processing system, of the first confidential information by means of a first transmission support (605),

. performing an operation of receiving, by the information processing system, said first confidential information from a second transmission support different from the first transmission support (608),

. performing an operation of verifying the first confidential information (610), by said system of information processing, and

. if the first confidential information is verified, performing an operation of supplying the secured message, by the information processing system, to the remote communication means corresponding to the identification of the destination of said message.

12 --32. Method according to claim 31, characterized in that it comprises moreover an operation of informing said user of the supply of the secured message to said destination.

13

--33. Method according to claim 31, characterized in that it comprises moreover an operation of authenticating said user.

14

--34. Method according to claim 33, characterized in that said authentication operation of said user comprises:

- an operation of generating, by said information processing system, a second so-called "confidential" information for single use;

- an operation of supplying to said user, by said information processing system, of the second confidential information, on a third transmission support (605),

- an operation of receiving, by the information processing system, of the second confidential information, on a fourth transmission support different from the third transmission support (608),

- an operation of verifying the second confidential information (610) by said system of information processing.

15

--35. Method according to claim 34, characterized in that it comprises moreover an operation of delivering to said destination a certificate which identifies said user.

16

--36. Method according to claim 31, characterized in that it comprises an operation of memorizing at least one record of at least one operation, in the information processing system.

¹⁷
~~--37.~~ Method according to claim 31, characterized in that the first transmission support is a wireless support.

¹⁸
~~--38.~~ Method according to claim 31, characterized in that the second transmission support is the Internet.

¹⁹
~~--39.~~ Device for transmitting a secured electronic message comprising processing means adapted to:

C1
- receive from a user, by means of a communication network:

. the message to be transmitted,

. an identification of the user, and

. an identification of a destination of said message

B1
Cont
(603, 604);

- opening a communication system with a remote communication means corresponding to the identification of the destination of said message;

- generating a first so-called "confidential" information for single use, which is to say that it cannot be used but during said communication session;

and, during said communication session:

. transmitting the first confidential information by means of a first transmission support (605),

. receiving said first confidential information from a second transmission support different from the first transmission support (608),

. verifying the first confidential information (610), and

KREMER S.N. 09/530,775

CI
B1
concl
. if the first confidential information is verified,
supplying the secured message to said destination, by means of
a transmission support.

20
--40. Device according to claim 39, characterized
in that the processing means are adapted moreover to transmit
information to said user as to the supply of the secured
message to said destination.--

Respectfully submitted,

YOUNG & THOMPSON

By

Benoît Castel

Benoît Castel
Attorney for Applicant
Registration No.35,041
745 South 23rd Street
Arlington, VA 22202
Telephone: 703/521-2297

November 14, 2000